EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	4	384/100.ccls. and ((shaft with flange) same tapered)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/17 14:21
32	180	384/100.ccls. and (shaft same flange)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/17 14:23
33	5	("20020018603" "6033118" "6252322" "6851859" "7005768").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/09/17 14:33
S4	4	("20020037118" "5645355" "5821655" "6105250").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/09/17 14:35
S5	4	("20020037118" "5645355" "5821655" "6105250").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/09/17 14:35
S6	3	("6851859").URPN.	USPAT	OR	OFF	2009/09/17 14:35
S7	6	("5715116" "5822846" "5914832" "6512654" "6657340" "6787954").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/09/17 14:36
3 8	8	("4774749" "4875263" "4934836" "5009520" "5129739" "6390681" "6439774" "6846109"). PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/09/17 14:38
S9	7	("5067528" "5524728" "5601125" "5778948" "5894868" "6066903" "6305439").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/09/17 14:39
S10	8	("3445148" "5127744" "5357162" "5683183" "5704718" "5810479" "5941646").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/09/17 14:41

S11	328	((hydrodynamic with bearing) and (shaft same sleeve) and (flange with thrust))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/17 14:49
S12	191	((hydrodynamic with bearing) and (shaft same sleeve) and (flange with thrust) and seal)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/17 14:50
S13	1	("2004282955").PN.	JPO	OR	OFF	2009/09/17 17:16
S14	1	("2000270530").PN.	JPO	OR	OFF	2009/09/17 17:20
S15	6	("5715116" "5822846" "5914832" "6512654" "6657340" "6787954").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/09/17 18:08
S16	4	("4509803" "4582368" "5120140" "5282688").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/09/17 18:40
S17	11	("5704718").URPN.	USPAT	OR	OFF	2009/09/17 18:40
S18	10056040	(Shaft with rounded with edge surface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/17 18:48
S19	79	(Shaft with (rounded near edge) with surface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/17 18:49
S20	315	(Shaft with (rounded near edge))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/17 18:53
S21	1	(Shaft with (tapered near rounded near edge))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/17 18:57

S22	4	(Shaft with (tapered near edge) with rounded)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/17 18:58
S23	9	("5141338" "5715116" "5822846" "5880545" "6057619" "6242830" "6310415" "6354742" "6364532").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/06/11 14:36
S24	48	("5715116").URPN.	USPAT	OR	OFF	2010/06/11 14:37
S25	6	("5715116" "5822846" "5914832" "6512654" "6657340" "6787954").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/06/11 14:39
S26	6	("3449028" "4547081" "4557610" "5018881" "5141338"). PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/06/11 14:40
S 27	7	("5067528" "5524728" "5601125" "5778948" "5894868" "6066903" "6305439").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/06/11 14:50
S28	13	("6733180").URPN.	USPAT	OR	OFF	2010/06/11 14:51
S 29	2	("6217218" "6456458").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/06/11 15:03
\$30	8	("3445148" "5127744" "5357162" "5683183" "5704718" "5810479" "5941646").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/12/17 19:13
S31	18	("6250807").URPN.	USPAT	OR	OFF	2010/12/17 19:15
S32	6	("3449028" "4547081" "4557610" "5018881" "5141338"). PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/12/17 19:19
S33	5	("4538929" "4573807" "4797009" "4798480" "4961122"). PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/12/17 19:19
S34	30	("5141338").URPN.	USPAT	OR	OFF	2010/12/17 19:20
S35	5	("4795275" "5141338" "5559382" "5791785" "5806987"). PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/12/17 19:21

S36	6	("20030190100" "20040032175" "5423612" "5715116" "6154339" "6181039").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/12/17 19:29
\$37	2	((hydraulic with bearing) same (shaft with blunt))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/18 15:12
S38	12	("3823557").URPN.	USPAT	OR	OFF	2010/12/18 15:14
S39	10	("2672819" "2991723" "3823557" "4492527" "4776260" "5061155" "5092741").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/12/18 15:15
S40	3	("5299918").URPN.	USPAT	OR	OFF	2010/12/18 15:16
S41	6	((fluid with bearing) same (shaft with blunt))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/18 15:24
S42	0	(tapared with shaft with blunt)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/18 15:25
S43	152	(tapered with shaft with blunt)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/18 15:25
S44	8638	(bearing with tapered with shaft)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/18 15:31
S45	757	((fluid with bearing) same (tapered with shaft))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/18 15:32

S46	13	("20020025090" "20020051588" "20030012465" "20030113045" "20050147336" "2704234" "5357272" "5659445" "5731831" "6175174" "6340854" "6574186").PN.	US-PGPUB; USPAT; USOCR	WOR	OFF	2010/12/18 15:37
S47	12	("2457472" "3121583" "3663849" "4093323" "5270737" "6310415" "6318976" "6498412" "6836041" "6902323").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/12/18 15:40
S48	7	("4348065" "5667309" "5993066" "6176618" "6378209" "6717310" "6789992").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/12/18 15:43
S49	11	("20030030222" "4254961" "5246294" "5403098" "5558443" "5558445" "5658080" "6219199" "6246136" "6301074" "6404586").PN.	US-PGPUB; USPAT; USOCR	COOR	OFF	2010/12/18 15:47
S50	1	("2003322136").PN.	JPO	OR	OFF	2010/12/18 16:03
S51	1	("2004282955").PN.	JPO	OR	OFF	2010/12/18 16:06
S52	416	((tapered with shaft) same ((smooth or rounded) with edge))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/18 16:16

12/19/2010 6:14:22 PM

 $\textbf{C:} \ \textbf{Documents and Settings} \ \textbf{mcharles} \ \textbf{My Documents} \ \textbf{EAST} \ \textbf{Workspaces} \ \textbf{hydrodynamic bearing with tapered shaft 10584314.wsp}$